



PARASNATH ALUMINIUM

THINK ALUMINIUM, THINK PARASNATH

Phone : +91 9836622666 / 8617263130/ 9331199929 / 9831640153

Email : info@parasnathaluminium.com



**Corporate Office : "Ecospace Business Tower" Tower 5A, 3rd Floor,
Suit No.8 , Kolkata-700160.**

Redg. Office : Ajit Mansion 10/1/1C Kalakar Street, 1st Floor, Kolkata-700007

Shop Address : 42/1 Strand Road, Kolkata-700007

ALUMINIUM LADDER

Aluminium Simple Ladder

With corrugated tubular rung pipe steps non-skid rubber shoes and caps.

ITEM CODE : PA -101

Specifications :

- 5 ft. •9 ft. •16 ft.
- 6 ft. •10 ft. •18 ft.
- 7 ft. •12 ft. •20 ft.
- 8 ft. •14 ft. •24 ft.



Aluminium Self Supporting Ladder

With non slip integrated with steps on the front & non-slip corrugated tube steps on the rear. Hinges support platform a top and non-skid rubber

ITEM CODE: PA-102

Specifications :

- 5 ft. •9 ft. •18 ft.
- 6 ft. •10 ft. •20 ft.
- 7 ft. •12 ft. •24 ft.
- 8 ft. •14 ft.



Aluminium Fancy Ladder

Economy self supporting ladder with serrated with step. Foldable platform & non-skid rubber shoes.

ITEM CODE: PA -103

Specifications :

- 5 ft. •9 ft. •16 ft.
- 6 ft. •10 ft. •18 ft.
- 7 ft. •12 ft. •20 ft.
- 8 ft. •14 ft. •24 ft.



Aluminium Collapsible Ladder

As a rectangular tube when closed & with corrugated range steps opened & with locking clips for closed & open and non-skid rubber shoes and caps.

ITEM CODE: PA-104

Specifications :

- 4 ft. •8 ft.
- 5 ft. •9 ft.
- 6 ft. •10 ft.
- 7 ft. •12 ft.



Aluminium Telescopic Folding Step Ladder

Ideal For Cleaning Windows, Interior And Exterior Painting & Decoration, All Other House Hold Works And Office Works Super Quality Alloy Aluminium Built Ladder. Non-Slip Rubber Angled Feet To Protect Floor. Surfaces And Give Great Grip In All Position. Anti-Skid Pvc Shoes For Added Safety.

ITEM CODE: PA - 105

Specifications :

- 5 ft. •9 ft. •16 ft.
- 6 ft. •10 ft. •18 ft.
- 7 ft. •12 ft. •20 ft.
- 8 ft. •14 ft. •24 ft.



Aluminium Trolley Step Ladder

With wide steps guard rails, platform and attached with 2 non fixed nos swiveling wheel with brake to immobilize the ladder.

ITEM CODE: PA-106

Specifications :

- 4 ft. •8 ft.
- 5 ft. •9 ft.
- 6 ft. •10 ft.
- 7 ft. •12 ft.



Aluminium Extension Ladder

Two interlocked simple ladder with corrugated rung step rope pulley & gravity pawls for extending and non-skid rubber shoes caps and hooks at top.

ITEM CODE: PA- 107

- Close high 8 ft. When extended 14 ft.
- Close high 10 ft. When extended 18 ft.
- Close high 12 ft. When extended 22 ft.
- Close high 14 ft. When extended 24 ft.
- Close high 16 ft. When extended 28 ft.
- Close high 18 ft. When extended 32 ft.
- Close high 20 ft. When extended 36 ft.
- Close high 24 ft. When extended 40 ft.
- Close high 24 ft. When extended 44 ft.



Aluminium Self Supporting Extension Ladder

Simple Ladder Fixed With Rote Pulley And Gravity Pawls To extended the simple ladder over the trestle & with non skid rubber shoes.

ITEM CODE: PA-108

Specifications :

- Close high 8 ft. when extended 14 ft.
- Close high 10 ft. when extended 18 ft.
- Close high 12 ft. when extended 22 ft.
- Close high 14 ft. when extended 24 ft.
- Close high 16 ft. when extended 28 ft.
- Close high 18 ft. when extended 32 ft.
- Close high 20 ft. when extended 36 ft.
- Close high 24 ft. when extended 40 ft.
- Close high 24 ft. when extended 44 ft.



Aluminum Telescopic Wheeled Ladder

Same as SBA 106 with Extra Side handrail hinged & Safety Self to Extending Part & with Rubber wheels on front legs & non solid Rubber Shoes on Rear Leg & a Push Handle

ITEM CODE: PA-109

Specifications :

- Close High 8 ft. when extended 14 ft.
- Close High 10 ft. when extended 18 ft.
- Close High 12 ft. when extended 22 ft.
- Close High 14 ft. when extended 24 ft.
- Close High 16 ft. when extended 28 ft.
- Close High 18 ft. when extended 32 ft.
- Close High 20 ft. when extended 36 ft.
- Close High 24 ft. when extended 40 ft.
- Close High 24 ft. when extended 44 ft.



ALUMINIUM LADDER

Aluminum Tower Extension Ladder

With platform, guard rails, tools tray, wire rope pulley, extended by hand winch, mounted on M.S. trolley with a tow bar and with 4 no. caster wheel to mobilize the trolley. The tower also provides with the wire ropes and screw jack to make platform horizontal in slope and to arrest swing of tower.

ITEM CODE :PA- 110

Specification:

- Close High 9 ft. when extended 15 ft.
- Close High 11 ft. when extended 19 ft.
- Close High 13 ft. when extended 23 ft.
- Close High 15 ft. when extended 25 ft.
- Close High 17 ft. when extended 29 ft.
- Close High 19 ft. when extended 33 ft.
- Close High 21 ft. when extended 37 ft.
- Close High 25 ft. when extended 41 ft.
- Close High 25 ft. when extended 45 ft.



Aluminum Tilttable Tower Extension Ladder

With platform, guard rails, tools tray, wire rope pulley, extended by hand hinch, mounted on M.S. trolley with a tow bar and with 4 no. caster wheel to mobilize the trolley, to fit it from vertical to horizontal by winch gear. The tower also provides with the wire ropes and screw jack to make platform horizontal in slope and to arrest swing of tower.

ITEM CODE: PA-111

Specification :

- Close High 9 ft. when extended 15 ft.
- Close High 11 ft. when extended 19 ft.
- Close High 13 ft. when extended 23 ft.
- Close High 15 ft. when extended 25 ft.
- Close High 17 ft. when extended 29 ft.
- Close High 19 ft. when extended 33 ft.
- Close High 21 ft. when extended 37 ft.
- Close High 21 ft. when extended 41 ft.
- Close High 25 ft. when extended 41 ft.
- Close High 25 ft. when extended 45 ft.



Aluminum Tilttable Tower Extension Ladder with JeepTyre

With platform, guard rates, tools tray, wire rope pulley, extended by hand winch, mounted of Heavy Duty M.S. trolley with a tow bar and with 4 no. Zeep TYRE to mobilize the trolley, to bilt it from vertical to horizontal by winch gear. The tower also provides with the wire ropes and screw jack to make platform horizontal in slope and to arrest swing of tower.

ITEM CODE :PA- 112

Specification

- Close High 9 ft. when extended 15 ft.
- Close High 9 ft. when extended 15 ft.
- Close High 13 ft. when extended 23 ft.
- Close High 15 ft. when extended 25 ft.
- Close High 17 ft. when extended 29 ft.
- Close High 19 ft. when extended 33 ft.
- Close High 21 ft. when extended 37 ft.
- Close High 25 ft. when extended 41 ft.
- Close High 9 ft. when extended 45 ft.



Aluminum Rope Ladder

With sides of Quality Nylon Rope and steps of 25.4 mm dia fluted aluminum tube in required length, can be rolled in a small bunches for easy handling, storage and transportation.

ITEM CODE : PS- 113



Corporate Office : "Ecospace Business Tower" Tower 5A, 3rd Floor, Suit NO.8 , Kolkata-700160.

Regd. Office: Ajit Mansion 10/1/1C Kalakar Street,1st Floor, Kolkata-700007

Shop Address: 42/1 Strand Road, Kolkata-700007

Phone :+91 9836622666 / 8617263130 / 9331199929 / 9831640153

Email : info@parasnathaluminium.com